## Amendments to the Claims:

1. (currently amended) A method of operation on one or more data processing machines, the method comprising:

determining a first collection rating for a first rating scale for according to a first rating scale, said first collection rating relating to a desirability of the contents of a first document collection;

determining a first link rating for said first rating scale according to said first rating scale for contents linked with contents of said first document collection, said first link rating relating to a desirability of [[the]] contents linked with the contents of said first document collection; and

modifying said first collection rating for said first rating scale for contents of said first document collection based on said determined first link rating for said first rating scale for contents linked with contents of said first document collection.

- 2. (original) The method of claim 1, wherein said determining of a first collection rating comprises determining said first collection rating based on document ratings of a first subset of documents of said first collection of documents, and sizes of the documents of the first subset of documents of the first document collection.
- 3. (original) The method of claim 2, wherein said first subset of documents of said first document collection consists of first textual documents of said first document collection.
- 4. (currently amended) The method of claim 1, wherein said determining of a first link rating comprises determining at least a second collection rating relating to the desirability of the contents of [[for]] at least a second document collection with documents linked with documents of said first document collection, and determining said first link rating based on said determined at least a second collection rating of said at least a second document collection.
- 5. (original) The method of claim 1, wherein said modifying of the first collection rating comprises replacing the determined first collection rating with said determined first link rating.

- 6. (original) The method of claim 1, wherein said modifying of the first collection rating comprises adding said determined first link rating to the determined first collection rating.
- 7. (original) The method of claim 1, wherein said modifying of the first collection rating comprises subtracting said determined first link rating from the determined first collection rating.
- 8. (original) The method of claim 1, wherein said first document collection is a web site, and said contents of said first document collection are web pages.
- 9. (currently amended) A method of operation on one or more data processing machines, the method comprising:

determining document ratings [[for]] <u>according to</u> a rating scale for a subset of documents of a document collection;

determining document sizes of the documents of said subset;

determining a collection rating for said rating scale for according to said rating scale, said document collection based on said determined document ratings of said subset of documents, and normalized by said determined document sizes of said subset of documents.

- 10. (currently amended) The method of claim 9, wherein said determining of the collection rating comprises further subdividing said subset of documents into a plurality of groups in accordance with their determined document sizes, and applying a weight to the document rating determined for said rating scale for each document of the subset in accordance to the document's size group classification.
- 11. (original) The method of claim 10, wherein weights are applied to said determined document ratings for said rating scale as follows:

Document size range in (bytes)	Weight
<500	1
500-999	4

1000-4999	7
5000-9999	10
>9999	13

- 12. (currently amended) The method of claim 9, wherein said determining of the collection rating comprises further subdividing said subset of documents into a plurality of groups in accordance with their determined ratings [[for]] according to said rating scale, and applying a weight to the document rating determined for said rating scale for each document of the subset in accordance to the document's rate group classification.
- 13. (original) The method of claim 12, wherein weights are applied to said determined document ratings for said rating scale as follows:

Determined document rating for said rating	Weight
scale	
0	-0.5
1	0.5
2	3
3	6

14. (currently amended) The method of claim 9, wherein said determining of the collection rating comprises computing the collection rating [[for]] according to said rating scale as follows:

$$CR = \frac{\sum_{i.j} r_i w_j \log(N_{ij} + 1)}{\sum_{i.j} w_j \log(N_{ij} + 1)}$$

where CR is the collection rating for said rating scale;  $r_i$  is the weight applied for document rating group i;  $w_i$  is the weight applied for document size group j;  $N_{ij}$  is the number of pages in the collection with document rating i and having group sizes j for said rating scale.

- 15. (original) The method of claim 9, wherein said first collection of documents are web pages of a web site, and said first subset of documents are textual documents of said web site.
- 16. (currently amended) A method of operation on one or more data processing machines, the method comprising:

determining whether a first document collection comprises at least one document linked to at least one other document of at least one other second document collection;

determining a collection rating [[for]] <u>according to</u> a rating scale for each of said at least one other second document collection if said first document collection is determined to comprise at least one document linked to at least one other document of at least one other second document collection, said collection rating [[for]] <u>according to</u> the rating scale for each of said at least one other second document collection relating to a desirability of a content of said at least one other second document collection;

determining whether said first document collection comprises at least one document being linked by at least one other document of at least one other third document collection;

determining a collection rating [[for]] <u>according to</u> said rating scale for each of said at least one other third document collection if said first document collection is determined to comprise at least one document linked by at least one other third document collection, said collection rating [[for]] <u>according to</u> the rating scale for each of said at least one other third document collection relating to a desirability of a content of said at least one other third document collection; and

determining a link rating [[for]] <u>according to</u> said rating scale for said first document collection based on either said determined collection rating or ratings [[for]] <u>according to</u> said rating scale for said at least one other second document collection, or said determined collection rating or ratings [[for]] <u>according to</u> said rating scale for said at least one other third document collection, or both, depending on whether collection rating or ratings are determined [[for]] <u>according to</u> said rating scale for said at least one other second document collection, said at least

one other third document collection or both.

- 17. (currently amended) The method of claim 16, wherein each of said determining of a collection rating [[for]] according to said rating scale for each of said at least one other second or third document collection comprises determining document ratings [[for]] according to said rating scale for documents of the particular document collection, and sizes of the documents, and determining the collection rating for the particular document collection based on the determined document ratings and the determined sizes.
- 18. (currently amended) The method of claim 16, wherein said determining of a link rating comprises summing said collection rating or ratings determined [[for]] according to said rating scale for said at least one other second or third document collection, and determining the link rating based on the result of said summing.
- 19. (original) The method of claim 18, wherein said determining of the link rating based on the result of said summing comprises determining the link rating based on the result of said summing as follows:

The resulting sum (RS)	Link rating
RS less than -2	-1.0
RS greater than or equal to -2, but less than -1	-0.5
RS greater than or equal to -1, but less than or equal	
to -0.5	0
RS greater than -0.5, but less than or equal to 1.5	0.5
RS greater than 1/5, but less than or equal to 3	1.0
RS greater than 3, but less than or equal to 4	1.5

## 20. (currently amended) An apparatus comprising:

storage medium having stored therein a plurality of programming instructions designed to enable said apparatus to

determine a first collection rating for a first rating scale for according to said first

rating scale, said first collection rating relating to a desirability of the contents of a first document collection,

determine a first link rating [[for]] according to said first rating scale for contents linked with contents of said first document collection, said first link rating relating to a desirability of [[the]] contents linked with the contents of said first document collection, and

modify said first collection rating for said first rating scale for contents of said first document collection based on said determined first link rating for said first rating scale for contents linked with contents of said first document collection; and at least one processor coupled to the storage medium to execute the programming instructions.

- 21. (original) The apparatus of claim 20, wherein said programming instructions are designed to enable the apparatus to perform said determining of a first collection rating by determining said first collection rating based on document ratings of a first subset of documents of said first collection of documents, and sizes of the documents of the first subset of documents of the first document collection.
- 22. (original) The apparatus of claim 21, wherein said first subset of documents of said first document collection consists of first textual documents of said first document collection.
- 23. (currently amended) The apparatus of claim 20, wherein said programming instructions are designed to enable the apparatus to perform said determining of a first link rating by determining at least a second collection rating [[for]] relating to the desirability of the contents of at least a second document collection with documents linked with documents of said first document collection, and determining said first link rating based on said determined at least a second collection rating of said at least a second document collection.
- 24. (original) The apparatus of claim 20, wherein said programming instructions are designed to enable the apparatus to perform said modifying of the first collection rating by replacing the determined first collection rating with said determined first link rating.

- 25. (original) The apparatus of claim 20, wherein said programming instructions are designed to enable the apparatus to perform said modifying of the first collection rating by adding said determined first link rating to the determined first collection rating.
- 26. (original) The apparatus of claim 20, wherein said programming instructions are designed to enable the apparatus to perform said modifying of the first collection rating by subtracting said determined first link rating from the determined first collection rating.
- 27. (original) The apparatus of claim 20, wherein said first document collection is a web site, and said contents of said first document collection are web pages.
  - 28. (currently amended) An apparatus comprising:

storage medium having stored therein a plurality of programming instructions designed to enable said apparatus to

determine document ratings [[for]] <u>according to</u> a rating scale for a subset of documents of a document collection,

determine document sizes of the documents of said subset,

determine a collection rating [[for]] <u>according to</u> said rating scale for said document collection based on said determined document ratings of said subset of documents, and normalized by said determined document sizes of said subset of documents; and

at least one processor coupled to the storage medium to execute the programming instructions.

29. (currently amended) The apparatus of claim 28, wherein said programming instructions are designed to enable the apparatus to perform said determining of the collection rating by further subdividing said subset of documents into a plurality of groups in accordance with their determined document sizes, and applying a weight to the document rating determined for said rating scale for each document of the subset in accordance to the document's size group classification.

30. (original) The apparatus of claim 29, wherein said programming instructions are designed to enable the apparatus to apply weights to said determined document ratings for said rating scale as follows:

Document size range in (bytes)	Weight
<500	1
500-999	4
1000-4999	7
5000-9999	10
>9999	13

- 31. (currently amended) The apparatus of claim 28, wherein said programming instructions are designed to enable the apparatus to perform said determining of the collection rating by further subdividing said subset of documents into a plurality of groups in accordance with their determined ratings [[for]] according to said rating scale, and applying a weight to the document rating determined for said rating scale for each document of the subset in accordance to the document's rate group classification.
- 32. (original) The apparatus of claim 31, wherein said programming instructions are designed to enable the apparatus to apply weights to said determined document ratings for said rating scale as follows:

Determined document rating for said rating	Weight
scale	
0	-0.5
1	0.5
2	3
3	6

33. (original) The apparatus of claim 28, wherein said programming instructions are

designed to enable the apparatus to perform said determining of the collection rating by computing the collection rating for said rating scale as follows:

$$CR = \frac{\sum_{i.j} r_i w_j \log(N_{ij}+1)}{\sum_{i.j} w_j \log(N_{ij}+1)}$$

where CR is the collection rating for said rating scale;

 $r_i$  is the weight applied for document rating group i;

 $w_i$  is the weight applied for document size group j;  $N_{ij}$  is the number of pages in the collection with document rating i and having group sizes j for said rating scale.

- 34. (original) The apparatus of claim 28, wherein said first collection of documents are web pages of a web site, and said first subset of documents are textual documents of said web site.
  - 35. (currently amended) An apparatus comprising:

storage medium having stored therein a plurality of programming instructions designed to enable said apparatus to

determine whether a first document collection comprises at least one document linked to at least one other document of at least one other second document collection,

determine a collection rating [[for]] <u>according to</u> a rating scale for each of said at least one other second document collection if said first document collection is determined to comprise at least one document linked to at least one other document of at least one other second document collection, said collection rating [[for]] <u>according to</u> the rating scale for each of said at least one other second document collection relating to a desirability of a content of said at least one other second document collection,

determine whether said first document collection comprises at least one document being linked by at least one other document of at least one other third document collection, determine a collection rating [[for]] <u>according to</u> said rating scale for each of said at least one other third document collection if said first document collection is determined to comprise at least one document linked by at least one other third document collection, said collection rating [[for]] <u>according to</u> the rating scale for each of said at least one other third document collection relating to a desirability of a content of said at least one other third document collection, and

determine a link rating [[for]] according to said rating scale for said first document collection based on either said determined collection rating or ratings [[for]] according to said rating scale for said at least one other second document collection, or said determined collection rating or ratings [[for]] according to said rating scale for said at least one other third document collection, or both, depending on whether collection rating or ratings are determined [[for]] according to said rating scale for said at least one other second document collection, said at least one other third document collection or both; and

at least one processor coupled to the storage medium to execute the programming instructions.

- 36. (currently amended) The apparatus of claim 35, wherein said programming instructions are designed to enable the apparatus to perform each of said determining of a collection rating [[for]] according to said rating scale for each of said at least one other second or third document collection by determining document ratings [[for]] according to said rating scale for documents of the particular document collection, and sizes of the documents, and determining the collection rating for the particular document collection based on the determined document ratings and the determined sizes.
- 37. (currently amended) The apparatus of claim 35, wherein said programming instructions are designed to enable the apparatus to perform said determining of a link rating by summing said collection rating or ratings determined [[for]] according to said rating scale for said at least one other second or third document collection, and determining the link rating based on the result of said summing.

38. (original) The apparatus of claim 37, wherein said programming instructions are designed to enable the apparatus to perform said determining of the link rating based on the result of said summing by determining the link rating based on the result of said summing as follows:

The result of said summing (RS)	link rating
RS less than –2	-1.0
RS greater than or equal to -2, but less than -1	-0.5
RS greater than or equal to -1, but less than or equal	
to -0.5	0
RS greater than -0.5, but less than or equal to 1.5	0.5
RS greater than 1.5, but less than or equal to 3	1.0
RS greater than 3, but less than	
or equal to 4	1.5
RS greater than 4	2.0